Animal Genetics 1999, **30**, 479–485

Author index

Aarskaug T *see* Jónasdóttir TJ
Acar R *see* Groenen MAM
Adalsteinsson S *see* Kantanen J
see also Lien S
Akita T *see* Mikawa S
Alcivar-Warren A *see* Xu Z
Aleandri R *see* Parma P
Alexander L *see* Venta PJ
Allison T *see* Warren WC
Amarante MRV, Lopes CR & Womack JE: Dopamine receptor D2 maps to bovine chromosome 15, 398
Amarante MRV, Lopes CR & Womack JE: Interstitial collagenase precursor gene maps to bovine chromosome 15, 227
Amarante MRV, Lopes CR & Womack JE: Syntentic assignment of CD3G to bovine chromosome 15, 67
Ambady S *see* Zhao F
Anderson I *see* Guérin G
Andersson L *see* van Haeringen WA
Antczak DF *see* Guérin G
see also Hopman TJ
see also Murphie AM
see also Ruth LS
see also Tallmadge RL
Antoniou E & Grosz M: PCR based detection of bovine myostatin Q204X mutation, 231
Antoniou E, Hirst BJ, Grosz M & Skidmore CJ: A single strand conformational polymorphism in the bovine gene *STAT5A*, 232
Aquadro CF *see* Hopman TJ
see also Murphie AM
see also Ruth LS
see also Tallmadge RL
Arnheim N *see* Lien S
Ashwell M *see* Zegeye A
Awata T *see* Yasue H

Bach JM *see* Tiret L
Bacon LD *see* Yonash N
Bailey E *see* Coogle L
see also Guérin G
see also Shiue Y-L
Banks MA *see* Greig C
Bardakci F & Skibinski DOF: A polymorphic SCAR-RAPD marker between species of tilapia (*Pisces: Cichlidae*), 78
Barendse W *see* Casas E
Barroso A, Dunner S & Canon J: A multiplex PCR-SSCP test to genotype bovine β-casein alleles A^1, A^2, A^3, *B* and *C*, 322
Baumgartner BG *see* Wen G
Bautista M *see* Eggleston-Stott ML
Beacham TD *see* Nelson RJ
Bedier E *see* Vonau V
Beever JE *see* Casas E
Bell K *see* Brandon RB
see also Guérin G
see also Lear TL
Benkel BF *see* Sazanov A
Bensaid A *see* Maillard J-C
Bentolila S *see* Tiret L
Bernoco D *see* Guérin G
Berryere TG *see* Ellinwood NM
Beuzart I *see* Vonau V
Bickel LA *see* Shiue Y-L
Bierne N *see* Vonau V
Biju-Duval M-P *see* Luikart G
Binns MM *see* Guérin G
Binns MM *see* Ryder EJ
Bonhomme F *see* Vonau V
Bosma AA *see* Fontanesi L
Bouzat J L *see* Kim K-I
Bowen RA *see* Ellinwood NM
Bowling AT *see* Guérin G
see also Hopman TJ
see also Murphie AM
see also Ruth LS
see also Senese C
see also Shiue Y-L
see also Tallmadge RL
Bradley DG *see* Nijman IJ
Brandon R *see* Guérin G
see also Lear TL
Brandon RB, Giffard JM & Bell K: Single nucleotide polymorphisms in the equine transferrin gene, 439
Braunschweig M, Stranzinger G & Puhan Z: A *PvuII* PCR-RFLP test for the bovine β-lactoglobulin D allele, 76
Bredbacka P *see* Koskinen MT
Brem G *see* Kavar T
Brenig B: Conserved nucleotide differences and subfamily structure of porcine short interspersed elements, 120
Brenig B *see* Dierkes B
see also Duscher S
see also Leeb T
see also Leeb T
see also Reiner G
see also Wen G
Brockmann G *see* Meyer L
Brouillette JA, Stafford A, Hammer TA & Venta PJ: *BslI* PCR/RFLP marker in the Canine Connexin 40 (*CX40* or *GJA5*) gene, 229
Brusgaard K *see* Holm L-E
Buchanan F, Crawford A, Strobeck C, Palsbøll P & Plante Y: Evolutionary applications of MIRs and SINEs, 47
Buchanan FC *see* Ellinwood NM
Buitkamp J *see* Masabanda J
see also Sazanov A
Bulla J *see* Stančeková K
Bumstead N *see* Hughes S
Burke T *see* McConnell SKJ
see also Morisson M
see also Wardle A
Burns BM *see* Casas E
Burt DW *see* Lester DH
see also Miao Y-W

Caetano AR *see* Hopman TJ
see also Murphie AM
see also Penedo MCT
see also Penedo MCT
see also Ruth LS
see also Shiue Y-L
see also Tallmadge RL
Cahaner A *see* Yonash N
Canon J *see* Barroso A
Cao Y *see* Venta PJ
Carlson JE *see* Pang SWY
Casas E, Barendse W, Beever JE, Burns BM, Davis SK, Erhardt G, Förster M, Gomez-Raya L, Kalm E, Kappes SM, Klungland H, Lewin HA, Lien S, Olsaker I, Reinsch N, Schwerin M, Song Y, Taylor JF, Thomsen H, Våge DI, Wu X, Xu N & Yeh C-C: Bovine chromosome 4 workshop: consensus and comprehensive linkage maps, 375
Čepica S *see* Davoli R
Čepica S *see* Knoll A
see also Musilová P
see also Stratil A
Čepica S, Schröffel J, Redl B & Rohrer GA: Linkage mapping of two TaqI PCR-RFLPs within intron 6 of the porcine gene (*LCN1*) encoding Tear lipocalin/von Ebner's gland protein, 467
Čepica S, Yerle M, Stratil A, Schröffel J & Redl B: Regional localization of porcine *MYOD1*, *MYF5*, *LEP*, *UCP3* and *LCN1* genes, 476
Chantal I *see* Maillard J-C
Chardon P *see* Maillard J-C
see also Sun HS
see also Van Poucke M
see also Zhao F
Cheng H H *see* Knorr C
see also Yonash N
see also Pang SWY
Choi Y, Ishiguro N, Shinagawa M, Kim C-J, Okamoto Y, Minami S & Ogihara K: Molecular structure of canine LINE-1 elements in canine transmissible venereal tumor, 51
Cholewinski G *see* Guérin G
Chung HY, Davis ME & Hines HC: A DNA polymorphism of the bovine calpastatin gene detected by SSCP analysis, 80
Clark RS *see* Shiue Y-L
Cockett N E *see* Lien S
Coogle L & Bailey E: Equine dinucleotide repeat loci *LEX064* through *LEX070*, 71
Cordova K *see* Penedo MCT
Cordova KI *see* Penedo MCT
Cosenza G *see* Ramunno L
Cothran EG *see* Guérin G
Cothran EG *see* Obreque V
Crawford A *see* Buchanan F
Crawford AM *see* Longley M
see also Phua SH
Cribiu EP *see* Godard S

© 1999 International Society for Animal Genetics

Crnogorac-Jurcevic T *see* Hughes S
Crooijmans RPMA *see* Groenen MAM
see also Herbergs J

Dalsgard B *see* Lien S
Davey HW *see* Husaini Y
Davies KP *see* Maddox JF
see also Maddox JF
Davies W *see* Harbitz I
Davis ME *see* Chung HY
see also Ge W
Davis SK *see* Casas E
Davoli R *see* Fontanesi L
Davoli R, Fontanesi L, Čepica S, Musilová P, Stratil A, Rubeš J & Russo V: The porcine Poly(rC)-Binding Protein 2 (*PCBP2*) gene maps to chromosome 5, 165
Dawson D *see* Morisson M
see also Wardle A
see also McConnell SKJ
de Koning DJ *see* Velmala RJ
Dekkers JCM *see* Sharif S
Delsert C *see* Vonau V
DelValle A *see* Eggleston-Stott ML
Dentine MR *see* Woollard JR
Deppe A *see* Leeb T
Dhar AK *see* Xu Z
Dierkes B, Kriegesmann B, Silva A, Schneider MP & Brenig B: Characterisation of a GA transition polymorphism within an *Eco*130I site of intron 3 of the insulin-like growth factor-1 (*IGF1*) gene of swamp buffaloes (*Bubalus b. bubalis kerebau*), 404
Dijkhof RJM *see* Groenen MAM
Dileanis S *see* Eggleston-Stott ML
Dodds KG *see* Phua SH
Dodgson J B *see* Knorr C
Dolf G *see* Jónasdóttir TJ
see also Ryder EJ
see also Saitbekova N
see also Schläpfer J
Dovč P *see* Kavar T
see also Snoj A
see also Susnik S
Drinkwater R *see* Lowden S
Dunn IC *see* Miao Y-W
Dunner S *see* Barroso A
Duscher S, Pfeiffer I & Brenig B: Identification of a highly polymorphic microsatellite within the porcine skeletal muscle triadin (*SMTRD*) gene, 466
Dvořák J *see* Knoll A
Dzapo V *see* Reiner G

Ege AG *see* Harbitz I
Eggleston ML *see* Shiue Y-L
Eggleston-Stott ML, DelValle A, Bautista M, Dileanis S & Wictum E: Twelve equine dinucleotide repeats at microsatellite loci UCDEQ304, UCDEQ380, UCDEQ387, UCDEQ411, UCDEQ439, UCDEQ440, UCDEQ455, UCDEQ457, UCDEQ464, UCDEQ465, UCDEQ482 and UCDEQ497, 69
Einspanier R *see* Masabanda J
Ellegren H *see* Guérin G
see also Lindgren G
Ellinwood NM, Berryere TG, Fournier BP, Bowen RA, Buchanan FC, Schmutz SM: MX1 maps to cattle chromosome 1, 164
Elo KT *see* Velmala RJ
Enne G *see* Parma P
Erhardt G *see* Casas E
see also Prinzenberg E-M
Ernst C *see* Tuggle CK
Ertugrul O *see* Luikart G
Evans KG *see* Tallmadge RL
Ewald D *see* Masabanda J
see also Sazanov A
Ewald SJ *see* Zheng D
Eythorsdottir E *see* Kantanen J
see also Lien S
see also van Haeringen WA
Ezra E *see* Lagziel A

Faddy MJ *see* Vankan DM
Farquharson C *see* Lester DH
Fauré S *see* Tiret L
Feligini M *see* Parma P
Fésüs L *see* Vanselow J
Fillon V *see* Morisson M
Foerster M *see* Pietrowski D
Fontanesi L *see* Davoli R
Fontanesi L, Davoli R & Russo V: A probe containing ancient repetitive elements detects a new marker (*S0521*) on porcine chromosome 6, 76
Fontanesi L, Davoli R, Zijlstra C, Bosma AA & Russo V: Mapping of the Na^+, K^+-ATPase subunit α 2 (*ATP1A2*) and muscle phosphofructokinase (*PFKM*) genes in pig by somatic cell hybrid analysis, 57
Förster M *see* Casas E
see also Guérin G
Fournier BP *see* Ellinwood NM
Freyer G *see* Kühn Ch
Fries R *see* Masabanda J
see also Sazanov A
Fukui E *see* Omi T
Fürbaß R *see* Vanselow J
see also Guérin G

Gaillard C *see* Saitbekova N
see also Schläpfer J
García-Huidobro J *see* Obreque V
García-Muro E *see* Martín-Burriel I
García-Vázquez E *see* Martínez JL
see also Pérez J
Garmonsway HG *see* Phua SH
Ge W, Davis ME, Hines HC & Irvin KM: Polymorphism in exon 10 of the bovine *GHR* gene detected by PCR-DGGE, 167
Ge W, Davis ME, Hines HC & Irvin KM: Two-allelic DGGE polymorphism detected in the promoter region of the bovine *GHR* gene, 71
Geldermann H *see* Griesinger I
Gelhaus A, Hanotte O, Horstmann RD & Teale AJ: Linkage mapping of the bovine lysosomal alpha-mannosidase (*MANB*) gene, 227
Gellin J *see* Morisson M
see also Pitel F
Georges M *see* Lien S
Gerlach JA *see* Ryder EJ
Gibbs M *see* Wardle A
Gibson JP *see* Jiang Z H
Giese A *see* Leeb T
Giffard JM *see* Brandon RB
Giger U *see* Griot-Wenk ME
Godard S *see* Guérin G
see also Shiue Y-L
Godard S, Oustry-Vaiman A, Cribiu EP & Guérin G: FISH mapping assignment of two horse BAC clones containing HMS41 and HTG3 microsatellites, 233
Goldammer T *see* Kühn Ch
Gomez-Raya L *see* Casas E
see also Lien S
Gregorio P Di *see* Ramunno L
Greig C & Banks MA: Five multiplexed microsatellite loci for rapid response run identification of California's endangered winter chinook salmon, 319
Greppi GF *see* Parma P
Griesinger I, Prüser F, Siemienski K & Geldermann H: Extreme fragment lengths differences of the microsatellite in the expressed *MHC-DRB* gene of Merinoland sheep, 77
Grimm DR *see* Zhao F
Griot-Wenk ME, Giger U: The AB blood group system in wild felids, 144
Groen AF *see* van Hooft WF
Groenen MAM *see* Herbergs J
Groenen MAM, Crooijmans RPMA, Dijkhof RJM, Acar R & van der Poel JJ: Extending the chicken-human comparative map by placing 15 genes on the chicken linkage map, 418
Grosz M *see* Antoniou E
Grosz MD & Stone RT: A single nucleotide polymorphism in the bovine kit oncogene (Hardy–Zuckerman 4 feline sarcoma viral (v-kit) oncogene homolog), 394
Guérin G *see* Godard S
see also Shiue Y-L
Guérin G, Bailey E, Bernoco D, Anderson I, Antczak DF, Bell K, Binns MM, Bowling AT, Brandon R, Cholewinski G, Cothran EG, Ellegren H, Förster M, Godard S, Horin P, Ketchum M, Lindgren G, McPartlan H, Mériaux J-C, Mickelson JR, Millon LV, Murray J, Neau A, Røed K, Sandberg K, Shiue Y-L, Skow LC, Stott M, Swinburne J, Valberg SJ, Van Haeringen H, Van Haeringen WA & Ziegle J: Report of the International Equine Gene Mapping Workshop: male linkage map, 341
Gwakisa PS *see* van Haeringen WA

Habe F *see* Kavar T
Haegeman A, Van Zeveren AGuérin G & Peelman LJ: A new mutation in the bovine insulin-like growth factor binding protein-3, 395
Hammer TA *see* Brouillette JA
Han EB *see* Hopman TJ
Hanotte O *see* Gelhaus A
see also Nijman IJ
see also van Hooft WF
Harbitz I, Langset M, Ege AG, Høyheim B & Davies W: The porcine hormone-

sensitive lipase gene: sequence, structure, polymorphisms and linkage mapping, 10
Harlizius B *see* Rexroad CE
Hasan L, Vögeli P, Neuenschwander S, Stoll P, Meijerink E, Stricker C, Jörg H & Stranzinger G: A L-gulono-gamma-lactone oxidase gene (*GULO*) which is a candidate for vitamin C deficiency in pigs maps to chromosome 14, 309
Hawken RJ *see* Maddox JF
Hayes H *see* Laurent P
He Z-Q *see* Yu Y
Hecht W *see* Hiendleder S
see also Reiner G
Hellemans B *see* Volckaert FAM
Heller ED *see* Yonash N
Herbergs J, Siwek M, Crooijmans RPMA, Van der Poel JJ, Groenen MAM: Multicolour fluorescent detection and mapping of AFLP markers in chicken (*Gallus domesticus*), 274
Hewitt GM *see* Moran P
Hickey DA *see* Sazanov A
Hiendleder S, Phua SH, Hecht W: A diagnostic assay discriminating between two major *Ovis aries* mitochondrial DNA haplogroups, 211
Hines HC *see* Chung HY
see also Ge W
see also Kappes SM
Hinrichsen P *see* Obreque V
Hirota K *see* Kakoi H
Hirst BJ *see* Antoniou E
Hisamatsu N *see* Mikawa S
see also Yasue H
Holm L-E *see* Kantanen J
see also Lien S
see also van Haeringen WA
Holm L-E & Brusgaard K: Two polymorphic dinucleotide repeats in rainbow trout (*Oncorhynchus mykiss*), 162
Holmes NG *see* Jónasdóttir TJ
see also Ryder EJ
Hopman TJ *see* Murphie AM
see also Ruth LS
see also Tallmadge RL
Hopman TJ, Han EB, Story MR, Schug MD, Aquadro CF, Bowling AT, Murray JD, Caetano AR & Antczak DF: Equine dinucleotide repeat loci *COR001-COR020*, 225
Horin P *see* Guérin G
Horstmann RD *see* Gelhaus A
Houston B *see* Lester DH
Høyheim B *see* Harbitz I
Huett AS, Innes DA, Moore MJ, Schnieke AE & Shiels PG: Identification of a novel *Hae*III PCR-RFLP in the *SLA DQB* gene, 397
Hughes S & Bumstead N: Mapping of the gene encoding a chicken homologue of the mammalian chemokine *SCYA4*, 404
Hughes S, Crnogorac-Jurcevic T, Sillibourne J & Bumstead N: Assignment of a homologue of murine wingless-type MMTV integration site family member 3a (*WNT3A*) to chicken chromosome 2, 403
Hui D *see* Wen G
Husaini Y, Wilkins RJ & Davey HW: Identification of five point mutations, including an *Alu*I RFLP, in the bovine *butyrophilin* gene, 400

Iametti S *see* Parma P
Inage Y *see* Mikawa S
Innes DA *see* Huett AS
Irvin KM *see* Ge W
Ishiguro N *see* Choi Y
Ito Y *see* Mikawa S

Jefferies D *see* Lester DH
Jenkins ZA & Montgomery GW: Genetic mapping of the ovine homologue of the mouse *Hacl1* gene to sheep chromosome 1, 74
Jenkins ZA & Montgomery GW: Linkage mapping of genes encoding bone morphogenetic proteins 1, 4 and 5 in sheep, 163
Jian C-S *see* Yu Y
Jiang Z H & Gibson JP: Bi-PASA genotyping of a new polymorphism in the *APOB* gene shows no evidence for an association with fatness in pigs, 54
Johnson LW *see* Zheng D
Jónasdóttir TJ, Dolf G, Sletten M, Aarskaug T, Schelling C, Schläpfer J, Jouquand S, Priat C, Holmes NG & Lingaas F: Five new linkage groups in the canine linkage map, 366
Jörg H *see* Hasan L
Jouquand S *see* Jónasdóttir TJ

Kaiser MG *see* Yonash N
Kajii E *see* Omi T
Kakoi H *see* Mashima S
Kakoi H, Tozaki T, Hirota K & Mashima S: Genetic polymorphisms of equine microsatellite loci: *TKY16*, *TKY19* and *TKY21*, 68
Kalm E *see* Casas E
see also Looft C
Kantanen J *see* Lien S
Kantanen J, Olsaker I, Adalsteinsson S, Sandberg K, Eythorsdottir E, Pirhonen K & Holm L-E: Temporal changes in genetic variation of North European cattle breeds, 16
Kappes SM *see* Casas E
see also Sonstegard TS
see also Warren WC
Kappes SM, Hines HC, Penedo MCT & Keele JW: Linkage assignment of the last unmapped cattle erythrocyte antigen system, *EAF*, 396
Kappes SM, Lang KDM & Plante Y: Linkage assignments for 14 SRC bovine microsatellites, 323
Kavar T, Habe F, Brem G & Dovč P: Mitochondrial D-loop sequence variation among the 16 maternal lines of the Lipizzan horse breed, 423
Keele JW *see* Kappes SM
Kemter J *see* Pietrowski D
Kessler JL *see* Tiret L
Ketchum M *see* Guérin G
Khoo SK *see* Ozaki A
Kim C-J *see* Choi Y
Kim K-I, Yang Y-H, Lee S-S, Park C, Ma R, Bouzat J L & Lewin HA: Phylogenetic relationships of Cheju horses to other horse breeds as determined by mtDNA D-loop sequence polymorphism, 102
Klungland H *see* Casas E
see also Lien S
Knoll A, Stratil A, Čepica S & Dvořák J: Length polymorphism in an intron of the porcine osteopontin (*SPP1*) gene is caused by the presence or absence of a SINE (PRE-1) element, 466
Knorr C, Cheng H H & Dodgson J B: Application of AFLP markers to genome mapping in poultry, 28
Kobayashi E *see* Mikawa S
Koger JB *see* Musilová P
Kollers S *see* Sazanov A
Koohmaraie M *see* Nonneman D
Kopečný M *see* Stratil A
Kopp T *see* Leeb T
Koskinen MT, Bredbacka P: A convenient and efficient microsatellite-based assay for resolving parentages in dogs, 148
Kriegesmann B *see* Dierkes B
Kúbek A *see* Stančeková K
Kühn C *see* Vanselow J
Kühn Ch, Freyer G, Weikard R, Goldammer T & Schwerin M: Detection of QTL for milk production traits in cattle by application of a specifically developed marker map of BTA6, 333
Kusumoto H *see* Mikawa S
see also Yasue H

Lagziel A, Lipkin E, Ezra E, Soller M & Weller JI: An *Msp*I polymorphism at the bovine growth hormone (*bGH*) gene is linked to a locus affecting milk protein percentage, 296
Lagziel A & Soller M: DNA sequence of SSCP haplotypes at the bovine growth hormone (*bGH*) gene, 362
Lamont SJ *see* Yonash N
see also Zhou H
Lang KDM *see* Kappes SM
Langset M *see* Harbitz I
Laughlin TF *see* Sun HS
Laurent P, Hayes H, Petit E & Levéziel H: PL44, a cosmid containing microsatellite INRA242 (*DXS39*), maps to bovine chromosome Xq25, 161
Lear TL, Brandon R & Bell K: Physical mapping of ten equine dinucleotide repeat microsatellites, 235
Lee S-S *see* Kim K-I
Leeb T *see* Reiner G
see also Wen G
Leeb T, Giese A, Pfeiffer I & Brenig B: Two highly polymorphic microsatellites within the porcine ryanodine receptor 3 gene (*RYR3*), 321
Leeb T, Pfeiffer I, Kopp T, Deppe A & Brenig B: Analysis of canine protein C gene polymorphisms, 237
Lenstra JA *see* Nijman IJ
Leslie KE *see* Sharif S
Lester DH, Farquharson C, Paton IR, Seawright E, Jefferies D, Whitehead CC,

Burt DW & Houston B: A novel integral membrane protein is differentially expressed in the chick growth plate and maps to chromosome 1, 300
Levéziel H *see* Laurent P
Lewin HA *see* Casas E
see also Kim K-I
Li K *see* Yang L
Li L *see* Zheng D
Lien S *see* Casas E
Lien S, Cockett N E, Klungland H, Arnheim N, Georges M & Gomez-Raya L: High-resolution gametic map of the sheep *callipyge* region: linkage heterogeneity among rams detected by sperm typing, 42
Lien S, Kantanen J, Olsaker I, Holm L-E, Eythorsdottir E, Sandberg K, Dalsgard B & Adalsteinsson S: Comparison of milk protein allele frequencies in Nordic cattle breeds, 85
Lindgren G *see* Guérin G
Lindgren G, Persson H & Ellegren H: Five equine dinucleotide microsatellite loci *HTG17*, *HTG20*, *HTG21*, *HTG28* and *HTG31*, 70
Lingaas F *see* Jónasdóttir TJ
Lipkin E *see* Lagziel A
Longley M, Phua SH, van Stijn TC & Crawford AM: Isolation and mapping of the first ruminant multidrug resistance genes, 207
Longobardi E *see* Ramunno L
Looft C, Paul S & Kalm E: Detection and mapping of mutations in the porcine phosphoglucomutase 1 (*PGM1*) and phosphorylase kinase gamma unit (*PHKG*) genes using F-SSCP-analysis, 234
Lopes CR *see* Amarante MRV
Louis CF *see* Zhao F
Lowden S & Drinkwater R: Detection of an SSCP in the 3′ untranslated region of the bovine *ETV4* gene, 73
Luikart G, Biju-Duval M-P, Ertugrul O, Zagdsuren Y, Maudet C & Taberlet P: Power of 22 microsatellite markers in fluorescent multiplexes for parentage testing in goats (*Capra hircus*), 431
Lunney JK *see* Zhao F
Lyons LA *see* Sun HS

Ma R *see* Kim K-I
Maddox JF, Davies KP & Hawken RJ: A five allele single strand conformational polymorphism in the third intron of the ovine *CD3D* gene, 317
Maddox JF, Hawken RJ, Matthew P & Davies KP: Single strand conformational polymorphisms (SSCPs) in the ovine *IL1A* and *IL6* genes, 318
Maddox JF: Single strand conformational polymorphisms in the second exons of the ovine *DMB*, *DYA* and *DYB* genes, 382
Maillard J-C, Renard C, Chardon P, Chantal I & Bensaid A: Characterization of 18 new *BoLA-DRB3* alleles, 200
Mäki-Tanila AV *see* Velmala RJ
Mallard BA *see* Sharif S
Mancilla R *see* Obreque V
Marklund L *see* Tuggle CK
Martín-Burriel I, García-Muro E & Zaragoza P: Genetic diversity analysis of six Spanish native cattle breeds using microsatellites, 177
Martínez JL, Morán P, Pendas AM, Taggart JB & García-Vázquez E: Genetic characterization and chromosomal location of a single locus GT microsatellite from Atlantic salmon, 399
Martinez JL, Moran P & Garcia-Vazquez E: Dinucleotide repeat polymorphism at the *SS4*, *SS6*, and *SS11* loci in Atlantic salmon (*Salmo salar*), 464
Masabanda J, Buitkamp J, Ewald D, Einspanier R & Fries R: Molecular markers for the bovine gene encoding acidic seminal fluid protein precursor (spermadhesin 1, *SPADH1*) map to chromosome 26q23, 396
Mashima S *see* Kakoi H
Mashima S & Kakoi H, Tozaki T: TKY101: a highly polymorphic equine dinucleotide repeat locus, 163
Masina P *see* Ramunno L
Mather IH *see* Zegeye A
Matsumoto T *see* Mikawa S
Mattheeuws M *see* Van Poucke M
Matthew P *see* Maddox JF
Matthews ME *see* McPartlan HC
Maudet C *see* Luikart G
McCauley L *see* McPartlan HC
McConnell SKJ, Dawson DA, Wardle A & Burke T: The isolation and mapping of 19 tetranucleotide microsatellite markers in the chicken, 183
McEwan JC *see* Phua SH
McPartlan H *see* Guérin G
McPartlan HC, Matthews ME, Primmer C, McCauley L, Thompson C & Robinson NA: A dog microsatellite at the *VIAS-D21* locus with demonstrated linkage to the marker *CXX20*, 75
Medrano JF *see* Persuy M-A
Medugorac I *see* Pietrowski D
Meijerink E *see* Hasan L
Mercier J-C *see* Persuy M-A
Mériaux J-C *see* Guérin G
Meyer L, Brockmann G, Schwerin M & Seyfert H-M: A highly polymorphic GT-repeat in the bovine STAT5B encoding gene on BTA19, 72
Miao Y-W, Burt DW, Paton IR, Sharp PJ & Dunn IC: Mapping of the prolactin gene to chicken chromosome 2, 473
Michelmore R *see* Shiue Y-L
Mickelson JR *see* Guérin G
see also Shiue Y-L
Mikami H *see* Mikawa S
Mikawa S, Akita T, Hisamatsu N, Inage Y, Ito Y, Kobayashi E, Kusumoto H, Matsumoto T, Mikami H, Minezawa M, Miyake M, Shimanuki S, Sugiyama C, Uchida Y, Wada Y, Yanai S & Yasue H: A linkage map of 243 DNA markers in an intercross of Göttingen miniature and Meishan pigs, 407
Mikko S *see* van Haeringen WA
Miller LM *see* Zhao F
Millon LV *see* Guérin G
see also Senese C
Millon LV *see* Shiue Y-L
Minami S *see* Choi Y
Minezawa M *see* Mikawa S
Miyake M *see* Mikawa S
Moker JS *see* Schmutz SM
Monbrun C *see* Pitel F
Montgomery GW *see* Jenkins ZA
see also Yang L
Moore MJ *see* Huett AS
Morán P *see* Martínez JL
see also Pérez J
Moran P *see* Martinez JL
Moran P, Ryan AW, Rico C & Hewitt GM: Four microsatellite loci in the gadoid fish, blue whiting *Micromesistitus poutassou* (Riso 1826), 463
Morisson M, Plisson-Petit F, Dawson D, Pitel F, Fillon V, Gellin J, Burke T & Vignal A: Characterisation of 33 chicken microsatellite loci: 20 new locations on reference maps, 391
Morris CA *see* Phua SH
Mouricout M *see*Védrine B
Murphie AM, Hopman TJ, Schug MD, Aquadro CF, Bowling AT, Murray JD, Caetano AR & Antczak DF: Equine dinucleotide repeat loci *COR021-COR040*, 235
Murray J *see* Guérin G
see also Hopman TJ
Murray JD *see* Murphie AM
see also Ruth LS
see also Shiue Y-L
see also Tallmadge RL
Murray ND *see* Runciman D
Musilová P *see* Davoli R
Musilová P, Koger JB, Stratil A, Rubeš J & Čepica S: Assignment of the porcine ornithine transcarbamylase (*OTC*) gene to Xp13-p21, 467

Neau A *see* Guérin G
Nelson RJ & Beacham TD: Isolation and cross species amplification of microsatellite loci useful for study of Pacific salmon, 228
Neuenschwander S *see* Hasan L
see also Werner P
Nie L *see* Yu Y
Nijman IJ, Bradley DG, Hanotte O, Otsen M & Lenstra JA: Satellite DNA polymorphisms and AFLP correlate with Bos indicus-taurus hybridization, 265
Noè L *see* Parma P
Nonneman D & Koohmaraie M: Molecular cloning and mapping of the bovine and ovine skeletal muscle-specific calpains, 456

Obexer-Ruff G *see* Saitbekova N
Obreque V, Mancilla R, García-Huidobro J & Cothran EG, Hinrichsen P: Thirteen new dinucleotide microsatellites in Aplaca, 397
Ogg S *see* Zegeye A
Ogihara K *see* Choi Y
Ohresser M *see* Vonau V

Okamoto N *see* Ozaki A
Okamoto Y *see* Choi Y
O'Keefe G *see* Zheng D
Olsaker I *see* Casas E
see also Kantanen J
see also Lien S
Olsaker I *see* van Haeringen WA
Omi T *see* Omi T
Omi T, Fukui E, Omi T & Kajii E: New alleles of *SLA-DQB* isolated from miniature pigs, 230
Otsen M *see* Nijman IJ
Oustry-Vaiman A *see* Godard S
Outteridge P *see* van Haeringen WA
Ozaki A, Khoo SK, Sakamoto T & Okamoto N: Two highly polymorphic dinucleotide microsatellites in rainbow trout (*Oncorhynchus mykiss*): *OmyRGT7TUF* and *OmyRGT8TUF*, 393

Pang SWY, Ritland C, Carlson JE & Cheng KM: Japanese quail microsatellite loci amplified with chicken-specific primers, 195
Panthier JJ *see* Tiret L
Parham A *see* Wardle A
Park C *see* Kim K-I
Parma P, Feligini M, Noè L, Aleandri R, Iametti S, Greppi GF & Enne G: Detection of the goat as2-casein genetic variants by ASA-PCR, 231
Paterson KA *see* Phua SH
Paton IR *see* Lester DH
see also Miao Y-W
Paul S *see* Looft C
Peelman LJ *see* Haegeman A
see also Van Poucke M
Pendas AM *see* Martínez JL
Penedo MCT *see* Kappes SM
see also Senese C
Penedo MCT, Caetano AR & Cordova K: Eight microsatellite markers for South American camelids, 166
Penedo MCT, Caetano AR & Cordova KI: Six microsatellite markers for South American camelids, 398
Peng ZZ *see* Yang L
Pérez J, Morán P & García-Vázquez E: Physical mapping of three minisatellite sequences in the Atlantic salmon (*Salmo salar*) genome, 371
Palsbøll P *see* Buchanan F
Persson H *see* Lindgren G
Persuy M-A, Printz C, Medrano JF & Mercier J-C: A single nucleotide deletion resulting in a premature stop codon is associated with marked reduction of transcripts from a goat &betàcasein null allele, 444
Peškovičová D *see* Stančeková K
Petit E *see* Laurent P
Pfeiffer I *see* Duscher S
see also Leeb T
Phua SH *see* Hiendleder S
see also Longley M
Phua SH, Dodds KG, Morris CA, Paterson KA, McEwan JC, Garmonsway HG, Towers NR*see* Leeb T
Crawford AM: Catalase gene is associated with facial eczema disease resistance in sheep, 286
Phua SH *see* Leeb T
Wood NJ: Ten restriction fragment length polymorphisms at the ovine catalase (*CAT*) locus, 242
Pietrowski D, Kemter J, Medugorac I, Foerster M: An *Alu*I PCR-RFLP in the bovine survival motor neuron gene (*SMN*), 168
Pinton P *see* Sun HS
Pirhonen K *see* Kantanen J
Pitel F *see* Morisson M
Pitel F, Monbrun C, Gellin J & Vignal A: Mapping of the *LEP* (*OB*) gene to a chicken microchromosome, 73
Plante Y *see* Buchanan F
see also Kappes SM
Plisson-Petit F *see* Morisson M
Pohar J *see* Snoj A
Ponce de León FA *see* Zhao F
Pouyaud L *see* Volckaert FAM
Priat C *see* Jónasdóttir TJ
Primmer C *see* McPartlan HC
Prins HHT *see* van Hooft WF
Printz C *see* Persuy M-A
Prinzenberg E-M & Erhardt G: A new *CSN3* allele in *Bos indicus* cattle is characterised by *Msp*I PCR-RFLP, 164
Prüser F *see* Griesinger I
Puhan Z *see* Braunschweig M

Røed K *see* Guérin G
Raadsma HW *see* Tammen I
Ramunno L, Longobardi E, Cosenza G, Gregorio P Di, Rando A & Masina P: A *Pst*I PCR-RFLP at the goat *CSN1S2* gene, 242
Rando A *see* Ramunno L
Redl B *see* Čepica S
Reiner G & Dzapo V: An *Eco*RV RFLP in the porcine c-myc proto-oncogene, 241
Reiner G, Hecht W, Leeb T, Brenig B, Robic A & Dzapo V: Isolation and characterization of the porcine c-myc proto-oncogene and chromosomal assignment to SSC 4p13, 204
Reinsch N *see* Casas E
Renard C *see* Maillard J-C
Rexroad C *see* Zegeye A
Rexroad CE, Schlapfer JS, Yang Y, Harlizius B & Womack JE: A radiation hybrid map of bovine chromosome one, 325
Rexroad III CE *see* Stone RT
Rexroad III CE, Yang Y & Womack JE: Use of the human transcript map to assign five loci to bovine chromosomes, 384
Rico C *see* Moran P
Ritland C *see* Pang SWY
Robic A *see* Reiner G
Robinson NA *see* McPartlan HC
Rogel-Gaillard C *see* Sun HS
see also Zhao F
Rohrer GA *see* Čepica S
Rohrer GA: Mapping four genes from human chromosome 4 to porcine chromosome 8 further develops the comparative map for an economically important chromosome of the swine genome, 60
Rothuizen J, Ubbink GJ, van Zon P, Teske E, van den Ingh TSGAM & Yuzbasiyan-Gurkan V: Diagnostic value of a microsatellite DNA marker for copper toxicosis in West-European Bedlington terriers and incidence of the disease, 190
Rubeš J *see* Davoli R
see also Musilová P
Runciman D, Zann RA & Murray ND: A W-chromosome linked marker for gender identification in the zebra finch, 66
Russo V *see* Davoli R
see also Fontanesi L
Ruth LS, Hopman TJ, Schug MD, Aquadro CF, Bowling AT, Murray JD, Caetano AR & Antczak DF: Equine dinucleotide repeat loci *COR041-COR060*, 320
Ryan AW *see* Moran P
Ryder EJ, Holmes NG, Suter N, Sampson J, Dolf G, Gerlach JA & Binns MM: Seven new linkage groups assigned to the DogMap reference families, 63

Saitbekova N *see* Schläpfer J
Saitbekova N, Gaillard C, Obexer-Ruff G & Dolf G: Genetic diversity in Swiss goat breeds based on microsatellite analysis, 36
Sakamoto T *see* Ozaki A
Sampson J *see* Ryder EJ
Sanchez-Serrano I *see* Tuggle CK
Sandberg K *see* Guérin G
see also Kantanen J
see also Lien S
Sargeant JM *see* Sharif S
Sazanov A, Benkel BF, Hickey DA, Kollers S & Fries R: The bovine AMP-activated protein kinase subunit gamma 1 gene (*PRKAG1*) maps to 5q21-q22, 473
Sazanov A, Ewald D, Buitkamp J & Fries R: A molecular marker for the chicken myostatin gene (*GDF8*) maps to 7p11, 388
Schelling C *see* Jónasdóttir TJ
see also Schläpfer J
Schläpfer J *see* Jónasdóttir TJ
Schläpfer J, Dolf G, Saitbekova N & Schelling C: Twelve novel cosmid-derived canine microsatellites, 387
Schläpfer J, Saitbekova N, Gaillard C & Dolf G: A new allelic variant in the bovine prion protein gene (*PRNP*) coding region, 386
Schlapfer JS *see* Rexroad CE
Schmidt P *see* Vanselow J
Schmutz SM *see* Ellinwood NM
Schmutz SM & Moker JS: *In situ* hybridization mapping of *TYR* and *CCND1* to cattle chromosome 29, 241
Schneider MP *see* Dierkes B
Schnieke AE *see* Huett AS
Schook LB *see* Zhao F
Schröffel J *see* Čepica S
Schug MD *see* Hopman TJ
see also Murphie AM
Schug MD *see* Ruth LS
see also Tallmadge RL
Schwerin M *see* Casas E
see also Kühn Ch
see also Meyer L

see also Vanselow J
Scott HM *see* Sharif S
Seawright E *see* Lester DH
Senese C, Penedo MCT, Shiue Y-L, Bowling AT & Millon LV: A *Hae*III PCR-RFLP in the *ZFY/ZFX* genes of horses, 390
Seyfert H-M *see* Meyer L
Sharif S, Mallard BA, Wilkie BN, Sargeant JM, Scott HM, Dekkers JCM & Leslie KE: Associations of the bovine major histocompatibility complex DRB3 (*BoLA-DRB3*) with production traits in Canadian dairy cattle, 157
Sharp PJ *see* Miao Y-W
Shiels PG *see* Huett AS
Shimanuki S *see* Mikawa S
Shinagawa M *see* Choi Y
Shiue Y-L *see* Guérin G
see also Senese C
Shiue Y-L, Bickel LA, Caetano AR, Millon LV, Clark RS, Eggleston ML, Michelmore R, Bailey E, Guérin G, Godard S, Mickelson JR, Valberg SJ, Murray JD & Bowling AT: A synteny map of the horse genome comprised of 240 microsatellite and RAPD markers, 1
Siemienski K *see* Griesinger I
Sillibourne J *see* Hughes S
Silva A *see* Dierkes B
Siwek M *see* Herbergs J
Skibinski DOF *see* Bardakci F
Skidmore CJ *see* Antoniou E
Skow LC *see* Guérin G
Sletten M *see* Jónasdóttir TJ
Smith B *see* Tuggle CK
Smith TPL *see* Stone RT
Snoj A *see* Sušnik S
Snoj A, Sušnik S, Pohar J & Dovč P: The first microsatellite marker (*BFRO 004*) for grayling, informative for its Adriatic population, 74
Soller M *see* Lagziel A
Song Y *see* Casas E
Sonstegard TS & Kappes SM: Mapping of the *UCP1* locus to bovine chromosome 17, 472
Sonstegard TS & Kappes SM: Mapping of the *SDHA* locus to bovine chromosome 20, 473
Stafford A *see* Brouillette JA
Stančeková K, Vašíček D, Peškovičová D, Bulla J & Kúbek A: Effect of genetic variability of the porcine pituitary-specific transcription factor (PIT-1) on carcass traits in pigs, 313
Stoll P *see* Hasan L
Stone RT *see* Grosz MD
Stone RT, Rexroad III CE & Smith TPL: Bovine *UCP2* and *UCP3* map to BTA15, 378
Story MR *see* Hopman TJ
Stott M *see* Guérin G
Stranzinger G *see* Braunschweig M
see also Hasan L
see also Werner P
Stratil A *see* Čepica S
see also Davoli R
see also Knoll A
see also Musilová P
Stratil A & Čepica S: Three polymorphisms in the porcine myogenic factor 5 (*MYF5*) gene detected by PCR-RFLP, 79
Stratil A & Kopečny M: Genomic organization, sequence and polymorphism of the porcine myostation (*GDF8*; *MSTN*) gene, 468
Stricker C *see* Hasan L
Strobeck C *see* Buchanan F
see also Wilson GA
Sugimoto Y *see* van Hooft WF
Sugiyama C *see* Mikawa S
Sun HS, Yerle M, Pinton P, Chardon P, Rogel-Gaillard C, Lyons LA, Laughlin TF & Tuggle CK: Physical assignments of human chromosome 13 genes on pig chromosome 11 demonstrate extensive synteny and gene order conservation between pig and human, 304
Sušnik S *see* Snoj A
Sušnik S, Snoj A & Dovč P: A new set of microsatellite markers for grayling: *BFRO014*, *BFRO015*, *BFRO016*, *BFRO017* and *BFRO018*, 478
Suter N *see* Ryder EJ
Swinburne J *see* Guérin G

Taberlet P *see* Luikart G
Taggart JB *see* Martínez JL
Tallmadge RL, Evans KG, Hopman TJ, Schug MD, Aquadro CF, Bowling AT, Murray JD, Caetano AR & Antczak DF: Equine dinucleotide repeat loci *COR081-COR100*, 470
Tallmadge RL, Hopman TJ, Schug MD, Aquadro CF, Bowling AT, Murray JD, Caetano AR & Antczak DF: Equine dinucleotide repeat loci *COR061-COR080*, 462
Tammen I, Warren WC & Raadsma HW: Physical and linkage mapping of the bovine zinc transporter 4 (*ZNT4*) gene to chromosome 10, 474
Tao N *see* Warren WC
Taylor JF *see* Casas E
Teale A *see* van Hooft WF
see also Gelhaus A
Teske E *see* Rothuizen J
Thompson C *see* McPartlan HC
Thomsen H *see* Casas E
Tiret L, Kessler JL, Bentolila S, Fauré S, Bach JM, Weissenbach J & Panthier JJ: Characterization and mapping of canine polymorphic markers, 475
Towers NR *see* Phua SH
Tozaki T *see* Kakoi H
see also Mashima S
Tuggle CK *see* Sun HS
Tuggle CK, Sanchez-Serrano I, Smith B, Ernst C & Marklund L: Cloning, sequencing and mapping the pig gene for the muscle-specific intermediate filament protein desmin (DES), 459

Ubbink GJ *see* Rothuizen J
Uchida Y *see* Mikawa S

Våge DI *see* Casas E
Valberg SJ *see* Guérin G
see also Shiue Y-L
van den Ingh TSGAM *see* Rothuizen J
van der Poel JJ *see* Groenen MAM
see also Herbergs J
Van Haeringen H *see* Guérin G
Van Haeringen WA *see* Guérin G
van Haeringen WA, Gwakisa PS, Mikko S, Eythorsdottir E, Holm LE, Olsaker I, Outteridge P & Andersson L: Heterozygosity excess at the cattle *DRB* locus revealed by large scale genotyping of two closely linked microsatellites, 169
van Hooft WF, Hanotte O, Wenink PW, Groen AF, Sugimoto Y, Prins HHT & Teale A: Applicability of bovine microsatellite markers for population genetic studies on African buffalo (*Syncerus caffer*), 214
Van Poucke M, Chardon P, Mattheeuws M, Van Zeveren A & Peelman LJ: A polymorphic CA-repeat at the porcine transferrin (*TF*) locus, 389
van Stijn TC *see* Longley M
Van Zeveren A *see* Haegeman A
see also Van Poucke M
van Zon P *see* Rothuizen J
Vankan DM & Faddy MJ: Estimations of the efficacy and reliability of paternity assignments from DNA microsatellite analysis of multiple-sire matings, 355
Vanselow J, Kühn C, Fürbaß R & Schwerin M: Three PCR/RFLPs identified in the promoter region 1·1 of the bovine aromatase gene (*CYP19*), 232
Vanselow J, Zsolnai A, Fésüs L, Schmidt P & Schwerin M: A *Bsp*143I PCR-RFLP in exon 3 of the ovine aromatase gene (*CYP19*), 402
Vašíček D *see* Stančeková K
Védrine B & Mouricout M: A *Fok* I PCR-RFLP in exon 2 of the pig α2, 6-sialyltransferase (*SIAT1*) gene, 463
Velmala RJ, Vilkki HJ, Elo KT, de Koning DJ & Mäki-Tanila AV: A search for quantitative trait loci for milk production traits on chromosome 6 in Finnish Ayrshire cattle, 136
Venta PJ *see* Brouillette JA
Venta PJ, Cao Y, Alexander L & Yuzbasiyan-Gurkan V: Dinucleotide repeat polymorphism in the canine retinoblastoma (*RB1*) gene, 470
Venta PJ & Cao Y: A PCR-RST *Csp*6I site in the canine *DLA-DQA1* gene, 67
Venta PJ & Vidal M: *Msp*I RSP in exon 42 of the canine von Willebrand factor (*VWF*) gene, 229
Vidal M *see* Venta PJ
Vignal A *see* Morisson M
see also Pitel F
Vilkki HJ *see* Velmala RJ
Vögeli P *see* Hasan L
Volckaert FAM, Hellemans B & Pouyaud L: Nine polymorphic microsatellite markers in the SE Asian catfishes *Pangasius hypophthalmus* and *Clarias batrachus*, 383
Vonau V, Ohresser M, Bierne N, Delsert C, Beuzart I, Bedier E & Bonhomme F:

Three polymorphic microsatellites in the shrimp *Penaeus stylirostris*, 234

Wada Y *see* Mikawa S
see also Yasue H
Wardle A *see* McConnell SKJ
Wardle A, Dawson D, Gibbs M, Parham A & Burke T: Further development of chicken microsatellite loci: 21 markers mapped, 238
Warren WC *see* Tammen I
Warren WC, Allison T, Tao N & Kappes SM: Evaluation of two cDNA-derived bovine tandem repeat sequences, *BMON112* and *BMON114*, 401
Weikard R *see* Kühn Ch
Weissenbach J *see* Tiret L
Weller JI *see* Lagziel A
Wen G, Baumgartner BG, Leeb T, Hui D & Brenig B: Characterisation of an *Msp*I transversion polymorphism in exon 8 of the porcine secretory carrier membrane protein 1 (*SCAMP1*) gene, 66
Wen J-K *see* Yu Y
Wenink PW *see* van Hooft WF
Werner P, Neuenschwander S & Stranzinger G: Characterization of the porcine uncoupling proteins 2 and 3 (UCP2 & UCP3) and their localization to chromosome 9 p by somatic cell hybrids, 221
Whitehead CC *see* Lester DH
Wictum E *see* Eggleston-Stott ML
Wilkie BN *see* Sharif S
Wilkins RJ *see* Husaini Y
Wilson GA & Strobeck C: The isolation and characterization of microsatellite loci in bison, and their usefulness in other artiodactyls, 226
Witter RL *see* Yonash N
Womack JE *see* Amarante MRV
see also Rexroad CE
see also Rexroad III CE
Wood NJ *see* Phua SH
Woollard JR & Dentine MR: Three PCR-RFLPs in the kappa-casein (*CSN3*) gene in American Bison, 316
Wu X *see* Casas E
Wyrzykowski J *see* Xu Z

Xu N *see* Casas E
Xu Z, Dhar AK, Wyrzykowski J & Alcivar-Warren A: Identification of abundant and informative microsatellites from shrimp (*Penaeus monodon*) genome, 150

Yanai S *see* Mikawa S
Yang L, Zhao SH, Li K, Peng ZZ & Montgomery GW: Determination of genetic relationships among five indigenous Chinese goat breeds with six microsatellite markers, 452
Yang Y *see* Rexroad CE
see also Rexroad III CE
Yang Y-H *see* Kim K-I
Yasue H *see* Mikawa S
Yasue H, Hisamatsu N, Awata T, Wada Y & Kusumoto H: Clarification of the order of acrosin and aconitase 2 genes on the physical and linkage maps of porcine chromosome 5, 161
Yeh C-C *see* Casas E
Yerle M *see* Čepica S
see also Sun HS
Yonash N, Bacon LD, Witter RL & Cheng HH: High resolution mapping and identification of new quantitative trait loci (QTL) affecting susceptibility to Marek's disease, 126
Yonash N, Kaiser MG, Heller ED, Cahaner A & Lamont SJ: Major histocompatibility complex (MHC) related cDNA probes associated with antibody responses in meat-type chickens, 92
Yu Y, Nie L, He Z-Q, Wen J-K, Jian C-S & Zhang Y: Mitochondrial DNA variation in cattle of South China: origin and introgression, 245
Yuzbasiyan-Gurkan V *see* Rothuizen J
see also Venta PJ
see also Zemke D

Zagdsuren Y *see* Luikart G
Zaun RA *see* Runciman D
Zaragoza P *see* Martín-Burriel I
Zegeye A, Ashwell M, Ogg S, Rexroad C & Mather IH: RFLP markers in the bovine butyrophilin gene, 385
Zemke D & Yuzbasiyan-Gurkan V: A single nucleotide polymorphism and a (GA)*n* microsatellite in intron 6 of the canine endothelin receptor B (*EDNRB*) gene, 390
Zhang Y *see* Yu Y
Zhao F, Ambady S, Ponce de León FA, Miller LM, Lunney JK, Grimm DR, Schook LB & Louis CF: Microsatellite markers from a microdissected swine chromosome 6 genomic library, 251
Zhao F, Miller LM, Chardon P, Rogel-Gaillard C & Louis CF: Five new polymorphic microsatellite markers for pig chromosome 6p, 394
Zhao SH *see* Yang L
Zheng D, O'Keefe G, Li L, Johnson LW & Ewald SJ: A PCR method for typing *B-LB*II family (class II *MHC*) alleles in broiler chickens, 109
Zhou H & Lamont SJ: Genetic characterization of biodiversity in highly inbred chicken lines by microsatellite markers, 256
Ziegle J *see* Guérin G
Zijlstra C *see* Fontanesi L
Zsolnai A *see* Vanselow J